

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Web History](#) | [Search settings](#) | [Sign in](#)

java native interface (emulation OR macro OR simulation)

[Search](#)[Advar](#)[Web](#) [Show options...](#)Results **1 - 30** of about **136,000** for **java native interface (emula**

JNI Types

The **JNI** defines a set of C/C++ types that correspond to the primitive and type and the **JNICALL macro** between the function name and the return type. ...

[java.sun.com/docs/books/jni/html/types.html](#) - [Cached](#) - [Similar](#)

Introduction

The **JNI** is a native programming interface. It allows Java code that runs ... **macro**, for example, makes it necessary to conservatively scan the native stack. ...

[java.sun.com/j2se/1.5.0/docs/guide/jni/spec/intro.html](#) - [Cached](#) - [Similar](#)

[Show more results from java.sun.com](#)

(PDF) Parallel Simulation Engines for Whole-Cell Models

File Format: [PDF/Adobe Acrobat](#) - [Quick View](#)

by M Schwehm - [Related articles](#)

stochastic **simulation engine** in Java. Another benefit of the **JNI** is, that a Java configuration module enables us to link both simulation engines together. ...

[icseb-2001.org/Posters/110_schwehm2.pdf](#) - [Similar](#)

JNI - debugging the JNI

To ensure that the va_list is not corrupted, use the standard C **macro** va_copy() in the first call. By default, -Xcheck:jni ensures that va_lists are not ...

[publib.boulder.ibm.com/.../javasdk/v5r0/...java.doc.../jni_debug.html](#) - [Cached](#)

Google Documentation Reader

©2008 Google - [Code Home](#) - [Terms of Service](#) - [Privacy Policy](#) - [Site Directory](#).

[code.google.com/docreader/](#) - [Cached](#) - [Similar](#)

Using Java For Soft Real-Time Simulation

Jan 28, 2004 ... Note that if your Java components are associated with native ... (JNI); The idea of using Java is a stretch for the **simulation community**. ...

[www.zedasoftware.com/UsingJavaForSoftRealTimeSimulation.html](#) - [Cached](#) - [Similar](#)

Java Native Interface (JNI) - unhand macro in c++ & StubPreamble.h ...

7 posts - 6 authors - Last post: Jun 9, 2005

The programming interface for implementing **native** methods in **Java** is under construction.

Use these interfaces at your own risk and in full ...

[forums.sun.com/.../Specifications/JavaNativeInterface\(JNI\)](#) - [Cached](#) - [Similar](#)

[JNI.DLL Problem](#) - 15 posts - Dec 10, 2009

[java.lang.UnsatisfiedLinkError...](#) - 7 posts - Sep 23, 2009

[java.lang.UnsatisfiedLinkError](#) - 11 posts - Sep 22, 2009

[Debug Assertion from javaw.exe](#) - 12 posts - Jan 19, 2005

[More results from forums.sun.com](#) »

Swing Based Remote GUI Emulation

by T Tilley - Cited by 1 - [Related articles](#)

This parameter value is passed via **JNI** into C++ where it is cast ... Faithful **emulation** of the chosen SDBMS? GUI required Swing widgets. ...

[www.tomtilley.net/publications/Evolve2000.pdf](#)

jfli - a Java Foreign Language Interface for Common Lisp

The second, jfli.lisp, depends upon jni.lisp, and provides the user API This **macro** will, at expansion time, use Java reflection to find all of the ...

[jfli.sourceforge.net/](#) - [Cached](#) - [Similar](#)

[PDF] Jni

File Format: PDF/Adobe Acrobat - Quick View

by D Curkendall - 2001

Mission **Simulation** Using Supercomputers. Dr. David Curkendall. Gary Block. **Jni**. Our Role Has Been. • Generate & Serve Terrain (environments) ...

irs-new.ipi.nasa.gov/dspace/bitstream/2014/13441/1/01-2354.pdf

[www.macrobug.com» Blog Archive » Writing an Eclipse plug-in that ...](#)Dec 18, 2006 ... First, if you're not familiar with **JNI**, read the introduction in [1] – it's much more thorough than this. This article just talks about how ...[www.macrobug.com/.../writing-an-eclipse-plug-in-that-uses-native-code-via-jni/ - Cached](#) • [Similar](#)[Launch Java Applications from Assembly Language Programs | Java.net](#)**JNI** is essential to the implementation of Java, since the JVM needs to One way of using this **macro** would be to define it within the program itself. ...[www.java.net/.../launch-java-applications-assembly-language-programs - Cached](#)**Simple JNI performance question**

10 posts • 6 authors • Last post: Jul 13, 2005

To answer that question you could write a little **simulation** program So the question doesn't really have as lot to do with **JNI** – it's ...[www.velocityreviews.com • ... • Newsgroups • Java - Cached](#) • [Similar](#)**Efficient Simulation of Quantum Systems by Quantum Computers**

by C Zalka - 1998 - Cited by 74 - Related articles

a **simulation** is comparable to the cost of a conventional **simulation** of the ... Where **jni** is the basis state corresponding to the digital representation of ...[www3.interscience.wiley.com/journal/60501855/articletext?DOI=10...](#)**Exception handling in JNI - CodeProject**Feb 8, 2007 ... In the entry point of the **JNI** function, the program state is saved by using the **macro** SAVE_PGM_STATE. Now here all the magic happens! ...[www.codeproject.com/KB/debug/jni_ex.aspx - Cached](#) • [Similar](#)**Bug 290987 – Replace trivial handwritten JNI code with code from ...**Sep 30, 2009 ... It's catching the std::bad_alloc C++ exceptions in SWT_CATCH **macro** inside the **JNI** functions and then throwing the NO_MORE_HANDLES SWT ...[https://bugs.eclipse.org/bugs/show_bug.cgi?id=290987 - Cached](#)**[android-developers] Re: About load '.so' library file with JNI****Macro** Wed, 09 Apr 2008 01:56:01 -0700. According to the article "Android - Invoke **JNI** based methods (Bridging C/C++ and Java)", I change the steps of building ...[www.mail-archive.com/android...com/msg01720.html - Cached](#)**Ubuntu -- Details of package libswt-gtk-3.5-jni in karmic-updates**Swing provides native-looking control **emulation**, but built on top of the JVM. In SWT, the UI code is native by using **Java Native Interface (JNI)** libraries, ...[packages.ubuntu.com/karmic-updates/libswt-gtk-3.5-jni - Cached](#)**Project 2: Emulation of IP Packet Delivery in Interconnected LANS**Oct 25, 2003 ... Y:\hw2\src>java Server localhost Server launched [BeaconListenerImpl] exiting [C Native] GetLocalTime is running [C Native] GetLocalTime is exiting ... public **interface** CmdAgent extends java.rmi.remote { public int ...[www.cs.iastate.edu/~baofje/acad/course/cs587/lab2/lab2.shtml - Cached](#)**Java Native Interface Tutorial****Java Native Interface** Tutorial. Reviews. Shared by: clx19837. Categories ... Goa, India Large-Scale Dynamic Grid Applications • **Simulation** in astrophysics ...[www.docstoc.com/docs/23951972/Java-Native-Interface-Tutorial - Cached](#)**JNI Tips****JNI** is the **Java Native Interface**. It defines a way for code written in the Java programming to get something you can hand to printf or a LOG **macro**. ...

www.netnrite.com/android/mydroid/daivik/docs/jni-tips.html - Cached - Similar

Download Book Essential **Jni**, **Java Native Interface** For Download ...

Specifically AgentJ implements a **Java Native Interface (JNI)** [15] binding for any given node during **simulation**, the C++ agent pointers are essential to ...
[download-book.net/Essential-JNI,-Java-Native-Interface-for-download-pdf.html](#) - Cached

Write Efficient Java Apps Using Native Data Structures with **JNI**

In such situations, you can use the **JNI** native code interface to access ... (For typechecking purposes, there are two variants of this **macro**: **ERR()** for stub ...
www.devx.com/Java/Article/21641/1763/page/3 - Cached - Similar

Using The **Java Native Interface**

by SF Husaini - 1997 - Cited by 4 - Related articles
 How to use the **Java Native Interface**; ACM Crossroads 4-2. ... He interned at Sun Microsystems under the supervision of Software **Simulation** Engineer, ...
www.acm.org/crossroads/xrds4-2/jni.html - Cached - Similar

Eclipse Java **JNI**, **LoadLibrary** linking error - Stack Overflow

Jan 29, 2010 ... I follow the **JNI** examples online and I get UnsatisfiedLinkError when trying to ... **macro** added at the // very beginning of the function. ...
stackoverflow.com/.../eclipse-java-jni-loadlibrary-linking-error - Cached

[PDF] **HARVEST: A FRAMEWORK AND CO-SIMULATION ENVIRONMENT FOR ANALYZING ...**

File Format: PDF/Adobe Acrobat - Quick View
 by CJ Augeri - Cited by 4 - Related articles
 After becoming familiar with OPNET's co-**simulation** environment and **JNI**, we had to make two key design decisions: where and how should **simulation** control ...
citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.72.2565&rep...

jGuru: Trouble Loading **JNI** Shared Object File: Unsatisfied Link Error

1 post - 1 author - Last post: Apr 16, 2009
 Re: Trouble Loading **JNI** Shared Object File: Unsatisfied Link Error ... **loadLibrary** ("**Simulation**"; should be preferred .. if you must do ...
www.jguru.com/forums/view.jsp?EiD=1379491 - Cached

[PDF] **Cross-Level Sensor Network Simulation** with COOJA

File Format: PDF/Adobe Acrobat - Quick View
 by F Osterlind - Cited by 51 - Related articles
 the **JNI** call is performed. Also entire **simulation** states may be saved and later restored, The **emulation** supports the MICA2 platform but can ...
www.sics.se/~fros/osterlind06crosslevel.pdf

"CDC **JNI** P990I UIQ3"

//**JNI** related. NOSTRICTDEF DEFFILE \ epIDll.def. EXPORTUNFROZEN **MACRO**
JSEPOC32 #if defined(WINS) **MACRO** J9X86 #endif //java native ...
czetsuya.blogspot.com/2008/03/cdc-jni-p990i-uiq3_17.html?.. - Cached

[PDF] **JNI - C++ integration** made easy

File Format: PDF/Adobe Acrobat - Quick View
 by E Gabrilovich - Cited by 5 - Related articles
 The **Java Native Interface** is extremely flexible, allowing Java methods to **Macro** block with definitions of JNIField member functions (excerpt from ...
gabrilovich.com/publications/papers/cpp_jni.pdf

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Go](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Go](#)